

VASIL'YEV, R.T.

Study of errors occurring during the observation of fixed nets
in aeromagnetometry. Prikl. geofiz. no.33:124-131 '62.

(MIRA 15:10)
(Magnetism, Terrestrial) (Aeronautics in surveying)

TOPCHIIYEV, A.V., akademik, glavnyy redaktor; PETROV, B.N., otvetstvennyy redaktor; AYZERMAN, M.A., redaktor; BERNSHTEYN, E.I., redaktor; VASIL'YEV, R.V., redaktor; IVANOV, V.I., redaktor; KARAGODIN, V.M., redaktor; KOGAN, B.Ya., redaktor; LETOV, A.M., redaktor; PORTNOV-SOKOLOV, Yu.P., redaktor; SOLODOVNIKOV, V.V., redaktor; ULANOV, G.M., redaktor; TSUPKIN, Ya.Z., redaktor; KRUTOVA, I.N., redaktor; ASTAF'YEVA, G.A., tekhnicheskii redaktor

[A session of the Academy of Sciences of the U.S.S.R. on scientific problems in automatization of production, October 15-20, 1956; principal problems of automatic control] Sessiya Akademii nauk SSSR po nauchnym problemam avtomatizatsii proizvodstva, 15-20 oktiabria 1956 g.: osnovnye problemy avtomaticheskogo regulirovaniia i upravleniia. Moskva, 1957. 334 p. (MLRA 10:5)

1. Adakemiya nauk SSSR. 2. Chlen-korrespondent AN SSSR. (for Petrov)
(Automatic control)

1977, f., page 12

1977, f., page 12
1977, f., page 12

VASIL'YEV, S.

Among military vehicle drivers. Tyl i snab. Sov. Voor. S11
21 no.9:87-89 S '61. (MIRA 14:12)
(Automobile drivers)

GUR'YANOV, S.; VASIL'YEV, S.; BELOZEROV, A.; KIFORENKO, Ye.

A new grain elevator in the Virgin Territory. Muk.-elev. prom.
29 no.2:5 F '63. (MIRA 16:8)

1. Direktor Adyrskogo khlebopriyemnogo punkta TSelinnogo kraya
(for Gur'yanov). 2. Sekretar' partiynoy organizatsii Adyrskogo
khlebopriyemnogo punkta TSelinnogo kraya (for Vasil'yev).
3. Predsedatel' mestnogo komiteta Adyrskogo khlebopriyemnogo punkta
TSelinnogo kraya (for Belozarov). 4. Sekretar' komsomol'skoy
organizatsii Adyrskogo khlebopriyemnogo punkta TSelinnogo kraya
(for Kiforenko).

(Adyr--Grain elevators)

VASIL'YEV, S.

Public food service during the four years of the seven-year plan.
Sov. torg. 36 no.3:3-7 Mr '63. (MIRA 16:3)
(Restaurants, lunchrooms, etc.)

GRANOVSKIY; DILL', A.; ORLOVSKIY, U.; GARIN, L.; VASIL'YEV, S.;
BUDLYANSKIY; BALDAYEV, V.; ZAKHAROV, A.; SMETANIN, I. (Kirov);
STEPANOV (Barnaul); KHOMKA, Yuriy

News from everywhere. Sov.foto 22 no.11:44-45 N '62.

(MIRA 16:1)

1. Fotokorrespondent TASS (for Granovskiy).
(Photography)

VASIL'YEV, S. (Saratov)

Operation of horizontal two-stage clarifiers at the Saratov
water-supply station. Zhil.-kom.khoz. 9 no.6:20-21 '59.
(MIRA 12:10)

1. Glavnyy inzhener trenta "Vodokanal."
(Saratov--Water--Purification)

VASIL'YEV, S.

In conflict with life. Okhr.truda i sots.strakh. no.9:63-66
S '59. (MIRA 13:1)
(Steel industry--Hygienic aspects)

VASIL'YEV, S. EDEL'MAN, S.

"Restaurant business in the United States." Reviewed by S. Vasil'ev,
S. Edel'man. Sov.torg. no.8:53 Ag '57. (MLRA 10:8)
(United States--Restaurants, Lunchrooms, etc.)

1


VASIL'YEV, S.

With a cheetah. Vokrug sveta no.7:44-45 J1'55. (MIRA 8:10)
(Cheetahs)

VASIL'YEV, S., predsedatel'.

General meetings are an important medium of communist education.
Sov. profsoiuzy 1 no.1:70-74 S '53. (MIRA 6:12)

1. Moskovskiy oblastnyy sovets professional'nykh profsoyuzov.
(Trade unions)



USSR/Electronics - Radio Receivers

Card 1/1

Authors : Vasil'ev, S.; Ginzburg, M.

Title : The "Moskvich-3" Radio-Receiver

Periodical : Radio, 3, 23 - 25, Mar, 1954

Abstract : A radio-receiving set designed and constructed by the Ministry of Local and Fuel Industry is described. This is a five-tube super-heterodyne set with two frequency bands (150-415 kc, and 520-1600 kc). Photographs, a circuit diagram and a list of coils used in the instrument are included.

Institution :

Submitted :

11/15/74
VASIL'YEV, S. (Verkhnyaya Salda)


The best in the province. Za rul. 16 no.1:5 Ja '58. (MIRA 11:1)
(Sverdlovsk Province--Automobile drivers)

VASIL^YEV, S., kand.ekonom.nauk, dotsent

Principles in planning public food service. Obshchest.pit.
no.3:37-39, 44 Mr '62. (MEWA 15:4)
(Restaurants, lunchrooms, etc.)

VASIL'YEV, S., podpolkovnik

Communications in a tank battalion. Voenn. vest. 41 no.4:
34-36 Ap '62. (MIRA 15:4)
(Communications, Military) (Tanks (Military science))



1. VASIL'YEV, S. A.
2. USSR (600)
4. Seed Industry
7. Present condition and prospects for cleaning and sorting grain and seed in farming, Sel'khoz mashina, No. 11, 1952.
9. Monthly List of Russian Accessions, Library of Congress, February 1953, Unclassified.

Vasil'ev, I. S.

Machinery for seed cleaning and grading
Moskva, Mashgiz, 1954. 99 p. (V pomoshch' kol'khoznykam, rabotnykam MTS i sovkhozov)

1. Seeds.
2. Agricultural machinery.

VASIL'YEV, S.A., kandidat tekhnicheskikh nauk; KHAPANTSEV, I.V., inzhener

New OV-10 grain cleaning machine. Sel'khoz mashina no.8:3-6 Ag'55.
(MLRA 8:11)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut sel'skokhozyayst-
vennogo mashinostroyeniya
(Grain--Cleaning) (Agricultural machinery)

VASIL'YEV, S.A.

Principles of the process of grain sizing. Trakt. i sel'khoz mash.
no. 4:37-42 Ap '58. (MIRA 11:5)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut sel'skokho-
zyaystvennogo mashinostroyeniya.
(Grain--Grading)

VASIL'YEV, S. A.

S. A. Vasil'yev, V. A. Godlevskiy, L. M. Gol'shtein, M. F. Lutor and
O. A. Sobolev - "Method of Determining the Number of a Calling Subscriber and a
Device for Achieving it."

Authors' Certificates, Elektrosvyaz', 1958, No. 7, pp 77.

VASIL'YEV, S.A.

Factors affecting processes of screening seeds. Trakt. 1
sel'khoz mash. 8:27-28 Ag '58. (MIRA 11:8)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut sel'skokhozyaystven-
nogo mashinostroyeniya.
(Seeds--Cleaning)

VASIL'YEV, Semen Afanas'yevich

"The Separation of Seeds of Agricultural Crops in Sieves":

dissertation for the degree of Doctor of Technical Sciences
(awarded by the Timiryazev Agricultural Academy, 1962)

(Izvestiya Timiryazevskoy Sel'skokhozyaystvennoy Akademii, Moscow, No. 2,
1963, pp 232-236)

YERIN, V.V.; VASIL'YEV, S.A.

Participation of veterinary specialists of Gorkiy Province in
the struggle for increased output of livestock products.
Veterinariia 37 no.10:19-21 0 '60. (MIRA 15:4)

1. Nachal'nik veterinarnogo otdela Gor'kovskogo oblastnogo
sel'skokhozyaystvennogo upravleniya (for Yerin). 2. Glavnyy
veterinarnyy vrach Veterinarnogo otdela Gor'kovskogo
oblastnogo sel'skokhozyaystvennogo upravleniya (for Vasil'yev).
(Gorkiy Province--Stock and stockbreeding)

PONOMAREV, O.P.; VASIL'YEV, S.A., inzh., red.; BRIL', E.P., red.;
KOGAN, F.L., tekhn. red.; KOLONIN, R.I., tekhn. red.

[Modern fuel-feed systems for diesel engines for trucks and
tractors; review] Sovremennaya toplivopodaiushchaya apparatu-
ra avtotraktornykh dizelei; obzor. Pod red. S.A.Vasil'eva.
Moskva, TSentr.in-t nauchno-tekhn.informatsii mashinostroeniia,
1961. 98 p. (MIRA 15:9)

(Diesel engines--Fuel systems) (Tractors) (Motortrucks)

VASIL'YEV, S.A.

Future development of mechanization in the postharvest treatment of grain and preparation of planting material. Trakt. i sel'khoz mash. 31 no.12:20-22 D '61. (MIRA 15:1)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut sel'skokhozyaystvennogo mashinostroyeniya.
(Grain handling machinery) (Grain--Grading)

VASIL'YEV, S.A.

Constant factors in the process of sizing seeds in cylindrical separators. Trakt.i sel'khoz mash. 31 no.8:35-38 Ag '61.

(MIRA 14:7)

(Seeds—Grading)

VASIL'YEV, S. A. and YERIN, V. V.

APPROVED FOR RELEASE: 08/31/2001
Participation of Veterinarians of the Gorki district in the struggle for the rise of animal products.

CIA-RDP86-00513R001858910018-0

Veterinariya, Vol. 37, No. 10, 1960, p. 19

Vasil'yev. Chief Vet. Dr., Vet. Section, Gorkiy Oblast Agric. Service

GRUM-GRZHIMAYLO, Sergey Vladimirovich; KAZAKOV, N.I., inzh., retsenzent;
VASIL'YEV, S.A., inzh., red.; SOKOLOVA, T.F., tekhn.red.

[Analysis and principles of design of transmission elements]
Raschet i osnovy konstruirovaniia elementov privodov. Moskva,
Gos. nauchno-tekhn.izd-vo mashinostroit.lit-ry, 1958. 335 p.
(Gearing) (MIRA 12:2)

VASIL'YEV

VASSILJEV, Sergius A.

Transportation problems of the USSR. (In Russian Economic Institute. U. S. S. R. economy and the war. New York, 1943, p. 93-105, map). Waterways and Railroads in the Far East (p.94). Waterways in European Russia (p.98). Highways (p.99) A Northern System (p. 101).

DLC: HC335.R963

Der Verkehr der UdSSSR. [Transport in the U.S.S.R.]. Red. S. S. Balzk, W.F.Wasjutin and J. C.Fejgin. Ueversetzt von H. Pridik, Berlin, Selbstverlag der Publikationsstelle, 1944- v.1 maps. (Aus Wirtschaftsgeographie der UdSSSR,v. 21).

DLC: HC331.W5

Ves' transport S.S.S.R. [All transport of the U.S.S.R.]. [Moskva], Gudok, [1927- v.(1) illus., diags.

DLC: HE255.V4

SO: Soviet Transportation and Communications, A Bibliography, Library of Congress, Reference Department, Washington 1952. Unclassified.

VASIL'YEV, S. A.

PA 7/49T47

USSR/Communications
Telephones - Circuits
Telephone Terminals

Sep 48

"A New Intercity Telephone Station Equipped With
Combined Circuit Systems," S. A. Vasil'yev, Engr,
2 3/4 pp

"Vest Svyazi - Elektrosvyaz'" No 9 (102)

Describes exchange designed by Cen Sci Res Inst of
Communications. Includes circuit diagram, and
photographs.

7/49T47

VASIL'YEV, S. A.

SLABOPROUDY OBZOR (Weak Current/Telecommunication/Review, Czechoslovakia)
Vol 15, No. 11, November, 1954

Comments on the paper "Co-operation between research and industry,"

S. Novak, (1954, No. 6, p. 293)

By J. Rada

.....544

A. A. Ivanova, S. A. Vasil'ev and A. F. Falunin

"A high-speed system for use on inter-town telephone links", 32 pages,
Moscow, 1952.

.....505-508

Book "Introduction into automatics and telemechanics"

By B. I. Domanskii (Translated from Russian), 412 pages 325 figures,

6 tables, 1954. University textbook.

Reviewed by M. Salamon

.....541-542

YASIL'YEV, S.A.; GUROV, V.S.; DAVYDOV, G.B.; ZARIN, S.A.; ZAYONCHKOVSKIY,
Ye.A.; IL'INA, L.D.; KIRILLOV, Ye.V.; LISHAY, K.P.; MILKYSKIY,
Yu.S.; MIKHAYLOV, M.I.; NIKOL'SKIY, K.K.; PUKHAL'SKIY, A.Ch.;
PUKHAL'SKAYA, N.N.; RABINOVICH, M.B.; SHVEDSKIY, S.A.; KONDRASHINA, N.M., red.; KARABILOVA, S.F., tekhn.red.

[Recommendations of international consultative committees on
telephony and telegraphy] Rekomendatsii mezhdunarodnykh konsul'-
tativnykh komitetov po telefonii i telegrafii. Moskva, Gos.izd-vo
lit-ry po voprosam svyazi i radio, 1959. 335 p. (MIRA 13:3)

1. Tsentral'nyy nauchno-issledovatel'skiy institut svyazi Ministerstva svyazi SSSR (for all except Kondrashina, Karabilova).
(Telephone) (Telegraph)

U S S R .

The rusting of steel attains in connection with the penetration of water vapor, carbonic anhydride, and hydrogen sulfide through layers of spindle oil.

The rusting of steel articles in connection with the penetration of water vapor, sulfuric anhydride, and hydrogen sulfide through layers of spindle oil. V. Y. Starchel'tsi and S. D. Vash'ev. *Zhur. Priklad. Khim.* 26, 1033-8 (1953).—Rusting of steel under a layer of spindle oil can occur as a result of penetration of water vapor, H_2S , and SO_2 since measurable rates of diffusion through the oil layer were shown. An insignificant protective action shown by all oils is explained by the difficulty of forming a film of electrolyte under such conditions. V. M. Bednarski

VASIL'EV, S. D.

Motion picture montage, Leningrad, 'Tea-kino-pechat', 1929. 96 p.

27

117 AND 118 DUBROV

PROCESSES AND PROPERTIES UNIT

Experiments with the Dubrovai cracking unit. S. F. Vaulov. *Neftevaiz. Akts.* 1938, No. 10, 10-20, cf. C. A. 32, 4762. In the vapor-phase oxidative cracking with recycle (ratio of raw material to condensate 3:2), the temp. at the exit of the furnace was 480-70° and in the producer (cracking furnace) 530°. One ton of oil vapors required 25 cu. m. of air. The balance of the process was: raw material (gas oil) used 100, obtained cracked distillate with an end point of 220° 55-65, cracked residue 20-15, gas, combustion and losses 25-30%. The cracked distillate had an octane no. of more than 70 and coke and carbon black were absent, the fuel consumption amounting to 3-6 0%. The cracked distillate is treated with alkali and Zn Cl₂ on pumice stone in the vapor phase. The gasoline was composed of unsatd. compds. 57-60, aromatic compds. 21, 22.5, naphthenes 11-17 and paraffins 0-9%, its compn. after refining by hydrogenation was unsatd. compds. 4, aromatic compds. 24, naphthenes 55 and paraffins 17%. The refined gasoline had octane no. 81 (end point 175°). The naphtha fraction has octane no. 75 (other characteristics are tabulated). The cracked residue resembles the raw material with a pour point of 20°. Steam-distn. yields 83-90% of an oil fraction b. below 270°. The residue is a good asphalt. The cracked gases are composed of unsatd. compds. 15-20, satd. hydrocarbons 8-15, 11-2-8, N 45-60, CO 2-8 and CO₂ 0.5-5%. The alkali sludge obtained in the preliminary treatment of the cracked distillate contains products of condensation of phenols and aldehydes 30.5, phenols 13, heavy phenolic products 30.5 and org. acids 4.2%. A. A. Bozhilnik

ASR-51A METALLURGICAL LITERATURE CLASSIFICATION

117 AND 118 DUBROV

PROCESSES AND PROPERTIES UNIT

ASR-51A METALLURGICAL LITERATURE CLASSIFICATION

117 AND 118 DUBROV

PROCESSES AND PROPERTIES UNIT

12

C.D.

PROCESSES AND REPERES

The vapor phase oxidation cracking of the Dubrovai system. K. Dubrovai and S. Vasilev. *Novosti Tekhniki* 1939, No. 13-14, 45-7. Raw material was heated to 450°, and its vapor was passed into the reaction chamber where it was mixed with the air. Oxidation occurred with an evolution of temp. and caused decompn., dehydrogenation and aromatization. Cracking was effected in a chamber lined with refractory bricks. The cracked gasoline was refined with ZnCl₂ (cf. preceding abstr.). The following balance of the process is given: raw material 100%, gasoline b. up to 170° 84, ligroin 14.4, cracking residue 20.15, polymers after the ZnCl₂ refining 8.6, gas 15.20 and combustion and loss 85%. The gasoline contained unsatd. compds. 57-60, aromatic compds. 21-22.5, paraffin 0.9 and naphthenes 11-17%, and had octane no. 81. The ligroin had octane no. 75, induction period 5 hrs. and contained 1.0 mg. of tar per 100 cc. It did not freeze at -100°. The gas contained unsatd. compds. 15-20, satd. compds. 8-15, water 2-8, N 45-60, CO₂ and CO₂ 0.5-5%. A. A. Podgorny

458-55A METALLURGICAL LITERATURE CLASSIFICATION

SECTION 1

SECTION 2

SECTION 3

SECTION 4

SECTION 5

SECTION 6

SECTION 7

SECTION 8

SECTION 9

SECTION 10

SECTION 11

SECTION 12

SECTION 13

SECTION 14

SECTION 15

SECTION 16

SECTION 17

SECTION 18

SECTION 19

SECTION 20

SECTION 21

SECTION 22

SECTION 23

SECTION 24

SECTION 25

SECTION 26

SECTION 27

SECTION 28

SECTION 29

SECTION 30

SECTION 31

SECTION 32

SECTION 33

SECTION 34

SECTION 35

SECTION 36

SECTION 37

SECTION 38

SECTION 39

SECTION 40

SECTION 41

SECTION 42

SECTION 43

SECTION 44

SECTION 45

SECTION 46

SECTION 47

SECTION 48

SECTION 49

SECTION 50

SECTION 51

SECTION 52

SECTION 53

SECTION 54

SECTION 55

SECTION 56

SECTION 57

SECTION 58

SECTION 59

SECTION 60

SECTION 61

SECTION 62

SECTION 63

SECTION 64

SECTION 65

SECTION 66

SECTION 67

SECTION 68

SECTION 69

SECTION 70

SECTION 71

SECTION 72

SECTION 73

SECTION 74

SECTION 75

SECTION 76

SECTION 77

SECTION 78

SECTION 79

SECTION 80

SECTION 81

SECTION 82

SECTION 83

SECTION 84

SECTION 85

SECTION 86

SECTION 87

SECTION 88

SECTION 89

SECTION 90

SECTION 91

SECTION 92

SECTION 93

SECTION 94

SECTION 95

SECTION 96

SECTION 97

SECTION 98

SECTION 99

SECTION 100

Formation of aldehydes, phenols, acids and resins in oxidation cracking. S. Vasil'ev and R. Ginzburg. *Vysokaya Tekhnika* 1960, No. 2, 28 p. The oxygenated compounds, such as aldehydes, acids, phenols and resins obtained in the cracking of crude oil by the Daburval process were investigated. The crude oil was cracked for 60 sec. at 530° with an air stream of 205 cu. m. per ton of oil vapors. The distillate had an initial b. p. of 40° and an end point of 210-220°. The distillate was treated with alkali of 20-25% Bé, and the residue was acidified. The org. portion was sep'd. into condensation products of aldehydes and phenols 36.5, phenols 13.0, heavy phenol products 30.5 and org. acids 4.2%. Lowers amounted to 9.8%. Of the simple phenols 3% was PhOH, 4.4% cresol and 5.6% xylenol. The heavy phenolic products were a brittle mixt. which jellifies at 200°. The org. acids consist of a mixt. of simple aliphatic acids and alkylic acids. The alk. residues are being used in the prepn. of resins. B. Z. Kaurich

B. Z. Karpich

ASB.SLA METALLURGICAL LITERATURE CLASSIFICATION

22

Waste products of the oxidation cracking as raw materials in the organic chemical industry. S. E. Vasil'ev and G. I. Ginzburg. *Org. Chem. Ind. (U. S. S. R.)* 7, 133-5 (1940).—In the neutralization of distillate of vapor phase cracking of gas oil and similar products with atm. (1) the alk. ext. consists of 13% phenols, contg. PhOH, cresols and xylenols; 36.5% phenolic products of unknown compn., m. about 200°; 36.5% of products sol. in CHCl₃ (probably condensation products of phenols and aldehydes), and 4.2% org. acids, contg. butyric, isovaleric and caproic acids. Chas. Blanc

ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION

1930-1940

1940-1949

1950-1959

1960-1969

1970-1979

1980-1989

1990-1999

2000-2009

2010-2019

2020-2029

2030-2039

2040-2049

2050-2059

2060-2069

2070-2079

2080-2089

2090-2099

2100-2109

2110-2119

2120-2129

2130-2139

2140-2149

2150-2159

2160-2169

2170-2179

2180-2189

2190-2199

2200-2209

2210-2219

2220-2229

2230-2239

2240-2249

2250-2259

2260-2269

2270-2279

2280-2289

2290-2299

2300-2309

2310-2319

2320-2329

2330-2339

2340-2349

2350-2359

2360-2369

2370-2379

2380-2389

2390-2399

2400-2409

2410-2419

2420-2429

2430-2439

2440-2449

2450-2459

2460-2469

2470-2479

2480-2489

2490-2499

2500-2509

2510-2519

2520-2529

2530-2539

2540-2549

2550-2559

2560-2569

2570-2579

2580-2589

2590-2599

2600-2609

2610-2619

2620-2629

2630-2639

2640-2649

2650-2659

2660-2669

2670-2679

2680-2689

2690-2699

2700-2709

2710-2719

2720-2729

2730-2739

2740-2749

2750-2759

2760-2769

2770-2779

2780-2789

2790-2799

2800-2809

2810-2819

2820-2829

2830-2839

2840-2849

2850-2859

2860-2869

2870-2879

2880-2889

2890-2899

2900-2909

2910-2919

2920-2929

2930-2939

2940-2949

2950-2959

2960-2969

2970-2979

2980-2989

2990-2999

3000-3009

3010-3019

3020-3029

3030-3039

3040-3049

3050-3059

3060-3069

3070-3079

3080-3089

3090-3099

3100-3109

3110-3119

3120-3129

3130-3139

3140-3149

3150-3159

3160-3169

3170-3179

3180-3189

3190-3199

3200-3209

3210-3219

3220-3229

3230-3239

3240-3249

3250-3259

3260-3269

3270-3279

3280-3289

3290-3299

3300-3309

3310-3319

3320-3329

3330-3339

3340-3349

3350-3359

3360-3369

3370-3379

3380-3389

3390-3399

3400-3409

3410-3419

3420-3429

3430-3439

3440-3449

3450-3459

3460-3469

3470-3479

3480-3489

3490-3499

3500-3509

3510-3519

3520-3529

3530-3539

3540-3549

3550-3559

3560-3569

3570-3579

3580-3589

3590-3599

3600-3609

3610-3619

3620-3629

3630-3639

3640-3649

3650-3659

3660-3669

3670-3679

3680-3689

3690-3699

3700-3709

3710-3719

3720-3729

3730-3739

3740-3749

3750-3759

3760-3769

3770-3779

3780-3789

3790-3799

3800-3809

3810-3819

3820-3829

3830-3839

3840-3849

3850-3859

3860-3869

3870-3879

3880-3889

3890-3899

3900-3909

3910-3919

3920-3929

3930-3939

3940-3949

3950-3959

3960-3969

3970-3979

3980-3989

3990-3999

4000-4009

4010-4019

4020-4029

4030-4039

4040-4049

4050-4059

4060-4069

4070-4079

4080-4089

4090-4099

4100-4109

4110-4119

4120-4129

4130-4139

4140-4149

4150-4159

4160-4169

4170-4179

4180-4189

4190-4199

4200-4209

4210-4219

4220-4229

4230-4239

4240-4249

4250-4259

4260-4269

4270-4279

4280-4289

4290-4299

4300-4309

4310-4319

4320-4329

4330-4339

4340-4349

4350-4359

4360-4369

4370-4379

4380-4389

4390-4399

4400-4409

4410-4419

4420-4429

4430-4439

4440-4449

4450-4459

4460-4469

4470-4479

4480-4489

4490-4499

4500-4509

4510-4519

4520-4529

4530-4539

4540-4549

4550-4559

4560-4569

4570-4579

4580-4589

4590-4599

4600-4609

4610-4619

4620-4629

4630-4639

4640-4649

4650-4659

4660-4669

4670-4679

4680-4689

4690-4699

4700-4709

4710-4719

4720-4729

4730-4739

4740-4749

4750-4759

4760-4769

4770-4779

4780-4789

4790-4799

4800-4809

4810-4819

4820-4829

4830-4839

4840-4849

4850-4859

4860-4869

4870-4879

4880-4889

4890-4899

4900-4909

4910-4919

4920-4929

4930-4939

4940-4949

4950-4959

4960-4969

4970-4979

4980-4989

4990-4999

5000-5009

5010-5019

5020-5029

5030-5039

5040-5049

5050-5059

5060-5069

5070-5079

5080-5089

5090-5099

5100-5109

5110-5119

5120-5129

5130-5139

5140-5149

5150-5159

5160-5169

5170-5179

5180-5189

5190-5199

5200-5209

5210-5219

5220-5229

5230-5239

5240-5249

5250-5259

5260-5269

5270-5279

5280-5289

5290-5299

5300-5309

5310-5319

5320-5329

5330-5339

5340-5349

5350-5359

5360-5369

5370-5379

5380-5389

5390-5399

5400-5409

5410-5419

5420-5429

5430-5439

5440-5449

5450-5459

5460-5469

5470-5479

5480-5489

5490-5499

5500-5509

5510-5519

5520-5529

5530-5539

5540-5549

5550-5559

5560-5569

5570-5579

5580-5589

5590-5599

5600-5609

5610-5619

5620-5629

5630-5639

5640-5649

5650-5659

5660-5669

5670-5679

5680-5689

5690-5699

5700-5709

5710-5719

5720-5729

5730-5739

5740-5749

5750-5759

5760-5769

5770-5779

5780-5789

5790-5799

5800-5809

5810-5819

5820-5829

5830-5839

5840-5849

5850-5859

5860-5869

5870-5879

5880-5889

5890-5899

5900-5909

5910-5919

5920-5929

5930-5939

5940-5949

5950-5959

5960-5969

5970-5979

5980-5989

5990-5999

6000-6009

6010-6019

6020-6029

6030-6039

6040-6049

6050-6059

6060-6069

6070-6079

6080-6089

6090-6099

6100-6109

6110-6119

6120-6129

6130-6139

6140-6149

6150-6159

6160-6169

6170-6179

6180-6189

6190-6199

6200-6209

6210-6219

6220-6229

6230-6239

6240-6249

6250-6259

6260-6269

6270-6279

6280-6289

6290-6299

6300-6309

6310-6319

6320-6329

6330-6339

6340-6349

6350-6359

6360-6369

6370-6379

6380-6389

6390-6399

6400-6409

6410-6419

6420-6429

6430-6439

6440-6449

6450-6459

6460-6469

6470-6479

6480-6489

6490-6499

6500-6509

6510-6519

6520-6529

6530-6539

6540-6549

6550-6559

6560-6569

6570-6579

6580-6589

6590-6599

6600-6609

6610-6619

6620-6629

6630-6639

6640-6649

6650-6659

6660-6669

6670-6679

6680-6689

6690-6699

6700-6709

6710-6719

6720-6729

6730-6739

6740-6749

6750-6759

6760-6769

6770-6779

6780-6789

6790-6799

6800-6809

6810-6819

6820-6829

6830-6839

6840-6849

6850-6859

6860-6869

6870-6879

6880-6889

6890-6899

6900-6909

6910-6919

6920-6929

6930-6939

6940-6949

6950-6959

6960-6969

6970-6979

6980-6989

6990-6999

7000-7009

7010-7019

7020-7029

7030-7039

7040-7049

7050-7059

7060-7069

7070-7079

7080-7089

7090-7099

7100-7109

7110-7119

7120-7129

7130-7139

7140-7149

7150-7159

7160-7169

7170-7179

7180-7189

7190-7199

7200-7209

7210-7219

7220-7229

7230-7239

7240-7249

7250-7259

7260-7269

7270-7279

7280-7289

7290-7299

7300-7309

7310-7319

7320-7329

7330-7339

7340-7349

7350-7359

7360-7369

7370-7379

7380-7389

7390-7399

7400-7409

7410-7419

7420-7429

7430-7439

7440-7449

7450-7459

7460-7469

7470-7479

7480-7489

7490-7499

7500-7509

7510-7519

7520-7529

7530-7539

7540-7549

7550-7559

7560-7569

7570-7579

7580-7589

7590-7599

7600-7609

7610-7619

7620-7629

7630-7639

7640-7649

7650-7659

7660-7669

7670-7679

7680-7689

7690-7699

7700-7709

7710-7719

7720-7729

7730-7739

7740-7749

7750-7759

7760-7769

7770-7779

7780-7789

7790-7799

7800-7809

7810-7819

7820-7829

7830-7839

7840-7849

7850-7859

7860-7869

7870-7879

7880-7889

7890-7899

7900-7909

7910-7919

7920-7929

7930-7939

7940-7949

7950-7959

7960-7969

7970-7979

7980-7989

7990-7999

8000-8009

8010-8019

8020-8029

8030-8039

8040-8049

8050-8059

8060-8069

8070-8079

8080-8089

8090-8099

8100-8109

8110-8119

8120-8129

8130-8139

8140-8149

8150-8159

8160-8169

8170-8179

8180-8189

8190-8199

8200-8209

8210-8219

8220-8229

8230-8239

8240-8249

8250-8259

8260-8269

8270-8279

8280-8289

8290-8299

8300-8309

8310-8319

8320-8329

8330-8339

8340-8349

8350-8359

8360-8369

8370-8379

8380-8389

8390-8399

8400-8409

8410-8419

8420-8429

8430-8439

8440-8449

8450-8459

8460-8469

8470-8479

8480-8489

8490-8499

8500-8509

8510-8519

8520-8529

8530-8539

8540-8549

8550-8559

8560-8569

8570-8579

8580-8589

8590-8599

8600-8609

8610-8619

8620-8629

8630-8639

8640-8649

8650-8659

8660-8669

8670-8679

8680-8689

8690-8699

8700-8709

8710-8719

8720-8729

8730-8739

8740-8749

8750-8759

8760-8769

8770-8779

8780-8789

8790-8799

8800-8809

8810-8819

8820-8829

8830-8839

8840-8849

8850-8859

8860-8869

8870-8879

8880-8889

8890-8899

8900-8909

8910-8919

8920-8929

8930-8939

8940-8949

8950-8959

8960-8969

8970-8979

8980-8989

8990-8999

9000-9009

9010-9019

9020-9029

9030-9039

9040-9049

9050-9059

9060-9069

9070-9079

9080-9089

9090-9099

9100-9109

9110-9119

9120-9129

9130-9139

9140-9149

9150-9159

9160-9169

9170-9179

9180-9189

9190-9199

9200-9209

9210-9219

9220-9229

9230-9239

9240-9249

9250-9259

9260-9269

9270-9279

9280-9289

9290-9299

9300-9309

9310-9319

9320-9329

9330-9339

9340-9349

9350-9359

9360-9369

9370-9379

9380-9389

9390-9399

9400-9409

9410-9419

9420-9429

9430-9439

9440-9449

9450-9459

9460-9469

9470-9479

9480-9489

9490-9499

9500-9509

9510-9519

9520-9529

9530-9539

9540-9549

9550-9559

9560-9569

9570-9579

9580-9589

9590-9599

9600-9609

9610-9619

9620-9629

9630-9639

9640-9649

9650-9659

9660-9669

9670-9679

9680-9689

9690-9699

9700-9709

9710-9719

9720-9729

9730-9739

9740-9749

9750-9759

9760-9769

9770-9779

9780-9789

9790-9799

9800-9809

9810-9819

9820-9829

9830-9839

9840-9849

9850-9859

9860-9869

9870-9879

9880-9889

9890-9899

9900-9909

9910-9919

9920-9929

VASIL'YEV, S. P. (S. P.)

2340. EXPERIMENTAL REALIZATION OF OXIDATION CRACKING PROCESS ON AN INDUSTRIAL SCALE. Vasil'ev, S. P. (Neftyanoe Khoz., 1946, 24, No. 9/10, 46-51; Chem. Abstr., 1947, 41, 7717). A plant of 100-ton daily capacity to produce aviation fuel by cracking gas oil with injection of oxygen, was built in 1936 and served over a period of 4 years for the exptl study of the process. The great amount of carbon formed in the cracking chamber could not be removed by the wash tower or by means of filter presses. By redesigning the nozzles, carbon formation was eliminated, CO₂ in the gases dropped to 0.5 - 0.8%, and the oxygenated compds in the cracked distillate reached 4%. Regardless of the nature of the feed stock, the gasoline obtained at 530-40° contains 20-30% of aromatic compds; this probably could be raised to 50-60% by using higher temps. or re cracking.

C.A.

CA

Oxidative reforming of gasolines of the Tulumzin De-
vonian petroleum. S. E. Yash'ev and V. R. Glushnev.
Izvest. Akad. Nauk S.S.S.R., Otdel. Tekh. Nauk 1947,
825-8; cf. C.A. 41, 7717h. — Oxidative reforming of high-S
Devonian crude oil was found to give good yields without
preheating, operated at approx. atm. pressure with low coke
formation in the reaction zone, and yielded a product with
low S and relatively high aromatic content. The crude oil
was treated in a lab. app. processing 0.5 l/kg. hr. by heat-
ing to 450-70°, mixing with O₂ with or without heated
steam, heating the mixt. to 540-60°, and sepg. the cracked
products. The liquid products were rectified and the
distillate was worked up with 5% NaOH soln. for sepn.
of O₂ compounds and part of the S. Further elimination of S
was effected by catalytic treatment in the vapor phase by
solid ZnCl₂. In a typical expt. the following data were ob-
tained on: (1) gasoline from straight distn. of Devonian
crude oil, (2) the lower-boiling fraction from oxidative
reforming, further purified with ZnCl₂, and (3) the higher-
boiling fraction (motor gasoline) from oxidative reform-
ing, resp.: yield, wt. % of crude oil, 26, 50.3, 69.5; sp.
gr., 0.729, 0.731, 0.743; initial b.p., 65, 62, 47°; 50°
b.p., 131, 113, 120°; end b.p., 212, 190, 105°; S, %
0.078, 0.000, 0.028; unsatd. compo. %, 1.08, 10.72,
14.61; aromatics %, 18.12, 22.00, 23.61; naphthenes %,
20.7, 10.80, 20.45; paraffins %, 59.2, 43.82, 41.10;
octane no.: pure, 40.0, 65.2, 64; with 1 ml. PbEt₂,
50.6, —, 70.4; with 2 ml. PbEt₂, 61.1, —, 80.5; with
4 ml. PbEt₂, —, 85.8, —. In this expt. 24.6% (based on
crude oil) of gas was produced, consisting of 37% unsatd.
N. C.

1470. CATALYTIC DESULPHURISATION OF REFORMED BENZENE WITH PHOSPHORIC ACID AND ZINC CHLORIDE. Glushnyev, V. K. and Vassilyev, S. F. (Izvestiya Acad. Nauk U.S.S.R., 1947, (7), 829-833). Comparative tests on the desulphurisation of reformed benzene in the vapour phase with phosphoric acid, zinc chloride, activated carbon and in the liquid phase with sulphuric acid have shown best results with phosphoric acid and zinc chloride on activated carbon, the octane number being raised from 64.5 to 74.

VASIL'EV, S. F.

S.F. Vasil'ev and V.E. Glushnev. Oils for aligning oscillographs. P. 1270

Institute of Oil,
Acad. of Sci., USSR

SO: Factory Laboratory, No. 10, 1950

"APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R001858910018-0

APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R001858910018-0"

✓ 4990. ORGANIC OXIDATION PRODUCTS FORMED IN THE PROCESS OF VAPOR PHASE
OXIDATION CRACKING. PART 2. SEPARATION AND IDENTIFICATION OF
PRODUCTS. (U.S. GOVERNMENT PRINTING OFFICE: 1967)

USSR/Chemical Technology - *VASIL'YEV, S. F.*
Chemical Products and Their Application. Treatment of
Natural Gases and Petroleum. Motor Fuels. Lubricants,
I-13

Abst Journal: Referat Zhur - Khimiya, No 19, 1956, 62580

Author: Torgashina, Z. I., *Vasil'yev, S. F.*

Institution: None

Title: Investigation of Upper Cut Obtained on Low Temperature Oxidation of
Kerosene

Original
Periodical: Nauk. zap. Chernivets'k. un-tu, 1955, 11, 85-90; Ukrainian; Russian
resumé

Abstract: Investigation of upper cut obtained in an amount of 40% on oxidation
of Krasnodar kerosene with air oxygen at 150-160°, has revealed the
presence therein of carbonyl and carboxyl derivatives of fatty and
aromatic series (up to 2.5%). Isolated and identified were: octane-
carboxylic ($C_9H_{18}O_2$) and phenyl methyl acetic ($C_9H_{10}O_2$) acids, and
the aldehydes dimethyloctenal and dodecanal. After separation from

Card 2/2

Card 1/2

VASIL'YEV, S.F. (Krivoi Rog 54, ul. Grun' Romanovoy, d.12, kv.68)

Directed antibiotic treatment in open fractures of the small tubular bones of the foot and hand. Ortop., travm. i protez. Zh no.2:58-60 F '65. (MIRA 18:5)

1. Iz ortopedo-travmatologicheskogo otdeleniya (zav. - P.V.Lomakin)
11-y gorodskoy bol'nitsy Krivoi Roga (glavnyy vrach V.G.Podtynchenko).

DAVTYAN, N.A.; VASIL'YEV, S.F.

Investigating the liquid products of the oxidation pyrolysis of
low-octane gasoline. Nefteper. i neftekhim. no.7:27-29 '64.
(MIRA 17:11)

1. Institut goryuchikh iskopayemykh AN SSSR.

VASIL'YEV, S.F.; AGAFONOV, A.V.

Obtaining high-octane gasolines. Nefteper. i neftekhim. no.
11:3-6 '63. (MIRA 17:5)

1. Institut goryuchikh iskopayemykh AN SSSR i Vsesoyuznyy
nauchno-issledovatel'skiy institut po pererabotke nefi i
gaza i polucheniya iskusstvennogo zhidkogo topliva.

DAVYDOV, V.P.; SEMENOV, L.V.; VASIL'YEV, S.F.

Oxidizing pyrolysis of gasolines. Nefteper. i neftekhim. no.10:23-
26 '63. (MIRA 17:2)

1. Institut goryuchikh iskopayemykh AN SSSR.

VASIL'YEV, S.F.; LAPIDES, N.A.; MOSIN, A.M.

High-temperature flameless oxidation of hydrocarbons as a means
of obtaining olefinic monomers. Khim.i tekhn.topl.i masel 8
no.2:10-14 F '63. (MIRA 16:10)

1. Institut goryuchikh iskopayemykh Gosudarstvennogo komiteta
Soveta Ministrov SSSR po toplivnoy promyshlennosti.

VASIL'YEV, S.F.; MOSIN, A.M.

Certain indices for the design of oxidative pyrolysis units. Trudy
IGI 16:73-82 '61. (MIRA 16:7)

(Hydrocarbons) (Pyrolysis)

VASIL'YEV, S.F.; LAVROV, N.V.; LAPIDES, N.A.

Oxidative pyrolysis of butane. Trudy IGI 16:59-65 '61. (MIRA 16:7)
(Butane) (Oxidation) (Pyrolysis)

VASIL'YEV, S.F.; MOSIN, A.M.

Mixing of hydrocarbons and oxygen heated to high temperatures in the process of oxidative pyrolysis. Trudy IGI 16:66-72 '61.

(MIRA 16:7)

(Hydrocarbons) (Oxygen) (Pyrolysis)

ARTYUKHOV, I.M., DINER, I.S., VASIL'YEV, S.F., LAPIDES, A.A., MOSIN, A.M.

Production of olefins by pyrolysis of petroleum products.

Report presented at the 12th Conference on high molecular weight compounds devoted to monomers, Baku, 3-7 April 62

ARTEM'YEV, A.I., nauchnyy sotrudnik; BUL'VAROVA, Z.I. nauchnyy sotrudnik;
VASIL'YEV, S.F., nauchnyy sotrudnik; NIKITINA, L.I., nauchnyy sotrudnik

Answers to questions on the preparation of medicinal forms presenting
difficulties and incompatibilities in compounding. Apt. delo 11 no.1:
92-95 Ja-F '62. (MIRA 15:4)

1. Laboratoriya tekhnologii lekarstvennykh form i galenovykh preparatov
TSentral'nogo nauchno-issledovatel'skogo aptechnogo instituta.
(INCOMPATIBLES (PHARMACY))

34416
S/081/62/000/002/089/107
B157/3110

5.33 00
AUTHORS: Vasil'yev, S. F., Lavrov, N. V.

TITLE: Oxidation pyrolysis of gaseous and liquid hydrocarbons for obtaining unsaturated and aromatic monomers for chemical synthesis

PERIODICAL: Referativnyy zhurnal. Khimiya, no. 2, 1962, 494, abstract 2M283 (Sb. "Ispol'zovaniye goryuchikh gazov v nar. kh-ve". M., AN SSSR, 1961, 141 - 149)

TEXT: The results are given of an investigation into the oxidation pyrolysis of C_2H_6 and C_3H_8 in C_2H_4 and C_3H_6 in large laboratory once-through plant at near-atmospheric pressure. In the oxidation pyrolysis of C_2H_6 and C_3H_8 , 70% by weight C_2H_4 is obtained, and 43.2% C_2H_4 and 14.5% C_3H_6 by weight, respectively. It was shown that the oxidation pyrolysis of gaseous and liquid hydrocarbons has certain technical and economic advantages over the thermal pyrolysis of these hydrocarbons. A sketch is given of the plant. [Abstracter's note: Complete translation.]

Card 1/1

S/081/62/000/004/065/087
B150/B138

AUTHORS: Vasil'yev, S. F., Lapides, N. A.

TITLE: Production of ethylene and propylene by the acidifying
pyrolysis of butane

PERIODICAL: Referativnyy zhurnal. Khimiya, no. 4, 1962, 477, abstract
4M133 (Novosti nef't. i gaz. tekhn. Neftepererabotka i nefte-
khimiya, no. 4, 1961, 22-25)

TEXT: Experiments on the oxidizing pyrolysis of 99.8% $n\text{-C}_4\text{H}_{10}$ were con-
ducted on a large-scale laboratory apparatus under optimum conditions for
the process: - temperature 820° and duration of contact 0.5 sec. The degree
of conversion under these conditions is 95%, with a yield of unsaturated
hydrocarbons amounting to 53% by wt. (37.2% C_2H_4 and 15.8% C_3H_6). The
process has considerable technical and economic advantages in comparison
with that of thermal pyrolysis. A diagram of the apparatus for the oxidi-
zing pyrolysis is given. [Abstracter's note: Complete translation.]

Card 1/1

VASIL'YEV, S.F.; MOSIN, A.M.; LAPIDES, N.A.; Prinimali uchastiye: MISHENKO,
M.L.; OSTROVSKAYA, L.V.; FOMICHEV, V.F.; GUBBOTINA, G.V.; SHVEDOVA,
L.M.

Oxidative pyrolysis of lower hydrocarbons. Khim.prom. no.4:238-243
Ap '61. (MIRA 14:4)

1. Institut goryuchikh iskopayemykh AN SSSR.
(Hydrocarbons) (Oxidation)

SOV/81-59-16-58504

Translation from: Referativnyy zhurnal. Khimiya, 1959, Nr 16, p 410 (USSR)

AUTHOR: Vasil'yev, S.F.

TITLE: The Use of Oxygen in Pyrogenic Installations

PERIODICAL: Novosti neft. tekhn. Neftepererabotka, 1958, Nr 9, pp 9-10

ABSTRACT: The process of oxidation pyrolysis is described which consists in feeding a steam-oxygen mixture at the entrance of the reactor into the vapors of the raw material (pyrolytic kerosene with the boiling point limits of 207 - 360°C) which have been heated to 450 - 500°C; the obtained liquid products consist of 100% of aromatic and unsaturated hydrocarbons. Oxidation pyrolysis permits the increase of the yield of gaseous unsaturated and aromatic hydrocarbons and the raising of the productivity of the installation.

G. Margolina.

Card 1/1

VASIL'YEV, S.F., kand.tekhn.nauk

Obtaining gas, motor fuel, and chemical products from peat. Torf.
prom. 35 no.5:9-14 '58. (MIRA 11:10)

1. Institut goryuchikh iskopayemykh AN SSSR.
(Peat industry--By-products)

VASIL'YEV, S. F., LAVROV, N. V.

Oxidation pyrolysis of ethane and propane for the production of
ethylene. Gas.prom. 5 no.4:33-37 Ap '60. (MIRA 13:8)
(Ethylene) (Ethane) (Propane)

VASTUYEV, Sergei Fedorovich, 1898 , sr

Cosmogony Eaku, Izd. Azerbaidzhanskogo gos. nauchno-issledovatel'skogo instituta, 1930. 152 p.

VASIL'YEV, S.G., inzhener.

Making reinforced concrete platform sections under field conditions.
Transp. stroi. 7 no.1:16-17 Ja '57. (MIRA 10:3)
(Railroads--Stations)

VASIL'YEV, S.G., mashinist

It is advisable to install pantograph disconnectors on VL22^m
electric locomotives also. Elek.i tepl.tiaga 5 no.11:46 N '61.
(MIRA 14:11)

1. Depo Kinel' Kuybyshevskoy dorogi.
(Electric locomotives)

VASIL'EV, S.G., inzh.

Ways of increasing the capacity of machinery for installing
supports for overhead contact systems. Transp. stroi. 15

no.2:50-51 F '65.

(MIRA 18:3)

25-4-11/34

SUBJECT: USSR/Housekeeping - Simplified

AUTHOR: Vasilyev, S.I., Engineer

TITLE: Science's Contribution to Everyday Life (Nauka-Bytu)

PERIODICAL: Nauka i Zhizn', April 1957, # 4, pp 21-24 (USSR)

ABSTRACT: This article deals with technical devices intended to simplify the daily chores of the housewife. The author points out how many things still are to be constructed to modernize individual households in the USSR. Science is busy finding new ways.

A short story follows with a view of giving the reader an idea of an imaginary household that is fully mechanized.

This article contains seven illustrations.

ASSOCIATION:

PRESENTED BY:

SUBMITTED:

AVAILABLE: At the Library of Congress.

Card 1/1

VASILYEV, S. I.

Germany, Eastern - Education, Higher

School of higher education in the German Democratic Republic. Sov. pedagog. 16 no. 9, 1952.

9. Monthly List of Russian Accessions, Library of Congress, December 195²₃, Uncl.

ACC NR: AR6018977

SOURCE CODE: UR/0271/66/000/002/B051/B051

AUTHOR: Vasil'yev, S. I.

TITLE: Analysis of noiseproofness in ferrite core transistorized components

SOURCE: Ref. zh. Avtomat telemekh i vychisl tekhn, Abs. 2B365

REF SOURCE: Tr. Mosk. energ. in-ta, vyp. 60, 1965, 47-73

TOPIC TAGS: magnetic core, ferrite

TRANSLATION: The noiseproofness of a component is defined as the capacity to store 0 and 1 reliably, and to transmit 0. The most objective criterion for reliable transmission is the transfer characteristic; the analysis of this characteristic with respect to marginal components and conditions makes the determination of a stable operating zone possible. To derive an analytic expression for the value of the transfer characteristic, the features of the amplifier are analyzed, since the latter operates in a nonlinear mode in the driving loop of the unit. The pulse switching of the core's magnetic state (rectangular hysteresis loop) are analyzed for discrete cycles and expressions are derived defining the initial portion of the transfer characteristic. The effect of the transistor's dynamic parameters on the stability of the unit is investigated. 22 figures, 8 references. N. S.

SUB CODE: 09

UDC: 681.142.67:621.382

Card 1/1

<p>VASIL'YEV, S. M. CA</p>		<p>17</p>	
<p>Molecular compound of white streptocide (sulfamylamide) and hexamethylenetetramine: Strepturin. P. I. Astrakhantsev and S. M. Vasil'ev. <i>Farmatsiya</i> 1940, No. 9-10, 24-5. When a hot soln. of 1.73 g. $H_2NC_6H_4SO_2NH_2$ in 40 cc. EtOH is mixed with a soln. of 1.4 g. hexamethylenetetramine in 20 cc. EtOH and the mixt. is evapd. to $\frac{1}{2}$ its vol. a cryst. addn. compd. (mol. ratio 1:1) is obtained. It forms lustrous crystals which soften at 100° and sinter, with much swelling, at higher temps. The compd., called Strepturin, is effective against streptococci. Julian P. Smith</p>			
<p>ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION</p>			
<p>COMMON ELEMENTS</p>			
<p>COMMON VARIANTS MOLE</p>			

VASIL'YEV - S. M. CA		1	
Contact apparatus. S. M. Vasil'ev. U.S.S.R. 65,076 Aug. 31, 1945. The apparatus is suitable for catalytic oxida- tion, e.g., of alc. to CH_3O . It has a capacity of 19-20 tons of 40% CH_3O per 24 hrs. M. Hovh			
ASS-3LA METALLURGICAL LITERATURE CLASSIFICATION			
140000 02		140000 02	
140000 02		140000 02	

VASIL'YEV, S.M., vrach-okulist

Case of complete cure of thrombosis of the central retinal vein.
Oft.zhur. 14 no.6:371-372 '59. (MIRA 13:4)

1. Iz statsionara glaznogo otdeleniya (zav. - S.M. Vasil'yev)
Sochinskoy ob'yedinennoy bol'nitsy No.2.
(THROMBOSIS) (RETINA--BLOOD SUPPLY)

VASIL'YEV, S.M. (L'vov).

Squares of integers and finding their square roots. Mat.v shkole
no.2:27-30 Mr-ap '54. (MLRA 7:3)

(Algebra--Study and teaching)

PIROGOV, A.A.; LEVE, Ye.N.; KRASS, Ya.R.; SHAMIL', Yu.P.; KUPGANOV, V.V.;
VASIL'YEV, S.N.; REZCHIK, V.G.

Testing unfired molded, brick made of magnesite concrete
in electric arc furnace walls. Stal' 24 no.8:710-711 Ag '64.
(MIHA 17:9)

1. Ukrainskiy nauchno-issledovatel'skiy institut ogneporev i
zavod "Dneprospetsstal'".

A.E.S. VASIL'YEV, S. N.

Ref. 100, 100, 100, 100
and 100, 100, 100, 100

Monolithic floor of refractory concrete for a tunnel-kiln
truck. S. N. VASIL'YEV. *Ogneupory*, 1939, No. 7, pp. 400-
72. — The best results in producing a refractory concrete
floor for a tunnel-kiln truck were obtained from mixes con-
taining 30% alumina cement. See *Ceram. Abs.*, 18 [4]
109; [11] 300 (1939). M.V.C.

ARGUNOV, I.A., red.; VASIL'YEV, S.N., red.; KORYAKIN, P.I., red.; KROTOV,
M.A., red.; LUKONIN, G.A., red.; TOMSKIY, S.K., red.; CHERSKIY,
N.V., red.; CHIRYAYEV, G.O., red.; SOLOV'YEVA, Ye.P., tekhn.red.

[Forty years of the Yakut A.S.S.R.] 40 let Iakutskoi ASSR.
Iakutsk, Iakutskoe knizhnoe izd-vo, 1962. 189 p.

(MIRA 16:1)

(Yakutia—Economic conditions)

(Yakutia—Culture)

VASIL'YEV, S.N.

The installation of plumbing equipment and fittings in brick walls and concrete floors without the use of dowels. Vod. 1
san.tekh. no.9:32 S '57. (MIRA 10:11)

(Plumbing)

Vasil'Yev, S.N.

VASIL'YEV, S.N.; KHOTKEVICH, S.G.

Progress in the installation of sanitary engineering systems.

Vod. 1 san. tekhn. no.11:7-14 H '57.

(MIRA 10:12)

(Sanitary engineering)

VASIL'YEV, S. P.

42108 VASIL'YEV, S. P., BLOKH, I. I. - geofizicheskiye issledovaniya na ugol'nykh--
mestorozhdeniyakh zapadnykh-rayonov SSSR. Trudy Geol. issled. byuro (m-vo
ugol'no' prom-s'tizai. r-nov S.S.R. Geol-razvedon-upr) vych 4, 1948, s. 11-16.

SO: Letopis' Zhurnal'nykh Statey, Vol. 47, 1948.

VASIL'YEV, S. P.

PA 69T60

USSR/Geological Prospecting
Coal

1948

"Jurassic Coal Deposits of the Central Oblasts of the
Russian Platform," S. P. Vasil'yev, 4 pp

"Sovet Geolog" No 28

History of studies conducted on coal deposits of
Jurassic layers of Russian platform, conditions sur-
rounding formation of Jurassic fresh-water continental
deposits, form of distribution and concentration of
carboniferous material in these deposits, and condi-
tions under which vegetable matter was accumulated.

69T60

VASIL'YEV, S. P.

Dissertation: "Requirements of Mining Technology for the Prospecting of the Moscow Basin Mine Fields and Means of Solving Them." Grad Tech Sci, Moscow Mining Inst (ent I. V. Stalin, 6 May 54. (Vostochnyya Moskva, Moscow, 2nd Apr 54)

SO: SUM 243, 19 Oct 1954

VASIL'YEV, Sergey Petrovich; MATVEYEV, A.K., redaktor; PROZOROVSKAYA, V.L.,
tekhnicheskii redaktor

[Mine geology of coal deposits] Shakhtnaia geologiya ugol'nykh
mestorozhdenii. Moskva, Ugletekhizdat, 1955. 210 p.
(Coal geology) (MIRA 9:3)

VASIL'YEV, S.P.

Some additional research in prospecting for coal deposits. Razved.i
okh.nedr 22 no.4:29-31 Ap '56. (MLRA 9:8)

1. Moskovskiy gornyy institut imeni Stalina.
(Coal geology)

VASIL'YEV, S.P.

Meeting of the technical committee ISO/TC 74 "Hydraulic binders."
Standartizatsiia 27 no.1:63 Ja '63. (MIRA 17:4)

PARSHIN, V.G.; VASIL'YEV, S.P.; VOLOSHCHUK, V.U.

New developments in research. Stal' 25 no.10:965 0 '65.
(MIRA 18:11)

VASII'YEV, S.P.; ZNAMENSKIY, V.L., red.izd-va; SHMAKOVA, T.M., tekhn
red.

[Practical manual on the organization and guidance of
geological study groups] Prakticheskoe posobie po organizatsii
i rukovodstvu geologicheskimi kruzhkami. Moskva, Gosgeol-
tekhizdat, 1963. 31 p. (MIRA 16#)
(Geology--Study and teaching)

VASIL'YEV, S.P.

Automatic section of a line for machining piston pins. Biul.
tekh.-ekon.inform.Gos.nauch.-issl.inst.nauch.1 tekhn.inform.
no.2:34-35 '63. (MIRA 16:2)

(Machinery, Automatic)

VASIL'YEV, S.P.

Determining the strength of heavy concrete. Standartizatsiia
27 no.3:53-55 Mr '63. (MIRA 16:4)
(Concrete--Testing)

VASIL'YEV, S.P., inzh.

New standard for factory-made concrete mixtures. Bet. 1 zhel.bet.
no.9:432 S '61. (MIRA 14:10)
(Concrete--Standards)

VASIL'YEV, S.P.

Cements. Standartizatsiia 26 no.1:59-60 Ja '62. (MIRA 15:1)
(Cement--Standards)

VASIL'YEV, S.P.

Standardization of porous inorganic fillers for lightweight
concrete. Standartizatsiia 25 no.9:30-32 S '61. (MIRA 14:9)
(**Lightweight concrete**)
(Porous materials—Standards)

TROYANSKIY, Sergey Vasil'yevich, prof.; VASIL'YEV, Sergey Petrovich, dots.;
BOGACHEVA, Yevgeniya Nikolayevna; PERFIL'YEVA, Zoya Georgiyevna,
inzh.; GUSEL'NIKOV, I.I., dots., otv. red.; SLOVOROSOV, A.Kh.,
red. izd-va; BOLDYREVA, Z.A., tekhn. red.

[Geology and prospecting of coal deposits and fundamentals of
general geology and hydrogeology] Geologiya i razvedka ugol'-
nykh mestorozhdenii s osnovami obshchei geologii i gidrogeologii.
By S.V.Troianskii i dr. Moskva, Gos. nauchno-tekhn. izd-vo lit-ry
po gornomu delu, 1961. 319 p. (MIRA 14:11)

(Mine surveying)

(Coal—Geology)

VASIL'YEV, S.P., dotsent, kand.tekhn.nauk

Role of several natural factors in the manifestation of outbursts
of coal and gas at various levels. Nauch. trudy MGI no.28:77-83
'59.

(Mining geology)

(MIRA 14:3)

15(6)

SCV/101-59-4-2/10

AUTHOR: Vasil'yev, S.P.

TITLE: A Project of Nomenclature and Terminology of Cements.

PERIODICAL: Tsement, 1959, Nr 4, p 29 (USSR)

ABSTRACT: The author states that a Postoyannaya komissiya po standartizatsii tsementov (Permanent Commission for Cement Standardization) has been organized and attached to the Gosstroy of the USSR. The commission has accepted the project of a new nomenclature of hydraulic cements. This project corresponds, in general with the project of the cement nomenclature ISO/TK 74, Tekhnicheskii komitet po tsementam Mezhdunarodnoy organizatsii po standartizatsii (Technical Committee for Cement of the International Organization for Standards). The author quotes 8 main groups of cements, each sub-divided into several sub-groups dealing with cements used for various kinds of duties and industrial requirements.

Card 1/1

VASIL'YEV, S.P., dots., kand.tekhn.nauk

Residual stresses in rocks and their role in coal and gas outbursts.
Nauch.dokl.vys.shkoly; gor.delo. no.4:71-74 ' 58. (MIRA 12:1)

1. Predstavleno kafedroy geologii Moskovskogo gornogo instituta imeni
I.V. Stalina.

(Subsidence (Earth movements)) (Mine gases)

VASIL'YEV, S.P.

AUTHOR: Vasil'yev, S.P., Engineer

18-58-2-22/41

TITLE: Sand for Construction (Pesok dlya stroitel'stva)

PERIODICAL: Standartizatsiya, 1958, Nr 2, p 49 (USSR)

ABSTRACT: Gosstroy SSSR has approved a new standard for construction sand ("GOST 8736-58") and a new standard for methods of testing such sand ("GOST 8735-58"). The article contains information on details of the new standards, the first of which concerns the granulation, content of clay, mud and dust in the sand for various applications (concrete, roads, railway dams, etc.). The "GOST" for sand excludes the use of improperly granulated sand in construction and provides a rational utilization of various sand desposits. There is 1 table.

ASSOCIATION: Gosstroy SSSR.

AVAILABLE: Library of Congress

Card 1/1

1. Sand-Standards
2. Sand-Test methods-Standards
3. Standardization-USSR

VASIL'YEV, S.P.

28-4-19/35

AUTHOR: Vasil'yev, S.P., Engineer
 TITLE: Construction Plaster (Stroitel'nyy gips)
 PERIODICAL: Standartizatsiya, 1957, # 4, p 60 (USSR)

ABSTRACT: A new standard for construction plaster - GOCT125-57 - has been approved by Gosstroy SSSR and will replace GOCT 125-41 on 1 July 1958. The article contains information on the new standard in comparison with the old. First grade plaster is to be made of material which leaves a 15% residue in a sieve of 918 meshes per cm^2 , while the residue from 2nd grade is to be not over 25% (instead of former 25% and 35% respectively). The compression strength after 1.5 hours is 55 kg/cm^2 for the 1st grade and 40 kg/cm^2 for the 2nd grade. The value of the tensile strength during rising is 9 kg/cm^2 for the 1st grade and 7 kg/cm^2 for the 2nd grade. The duration of specimen tests has been cut to 1.5 hours (formerly it was 24 hours). Evaluation of plaster dough density can be done with the Vick ("pribor Vika") device as well as with the new "AKB - 3" device. This latter device is an automatic capillar viscosimeter showing quickly the proportions of plaster and water in dough. The crystallization time is to be evaluated by the phenomenon of exo-

Card 1/2

28-4-19/35

Construction Plaster

thermal reaction in the process of plaster solidification,
with the use of a common thermometer.

ASSOCIATION: Gosstroy SSSR

AVAILABLE: Library of Congress

Card 2/2